




MÜLLER  
SAFE



KEY SAFES

## KEY CABINET GP



Model GP 100



### SECURITY LEVEL

Key cabinet with robust metal housing



### DESIGN

**Body:** Single-walled

**Door:** Single-walled

**Hinges:** Internal

**Door opening angle:** 120°

**Mounting holes:** 4 fixing holes in the backwall

Adjustable, colourful and numbered hook bars. Index holder in standard.



### LOCKING

Cylinder lock

2 keys



### PAINTING

Light gray, RAL 7035



# KEY CABINETS GP



GP 100


GP 200

GP 300

GP 400

GP 500

GP 600



GP 780



GP 860



GP 940



GP 1020



GP 1170

Model	External dim. in mm			Internal dim. in mm			Number Hooks	Door 1/ 2-leaf	Weight (Kg)
	Height	Width	Depth	Height	Width	Depth			
GP 100	550	730	80	548	728	79	100	2-leafs	14,5
GP 200	550	730	80	548	728	79	200	2-leafs	15,0
GP 300	550	730	140	548	728	139	300	2-leafs	19,0
GP 400	550	730	140	548	728	139	400	2-leafs	19,5
GP 500	550	730	205	548	728	204	500	2-leafs	25,5
GP 600	550	730	205	548	728	204	600	2-leafs	26,0
GP 780	1300	730	250	1298	728	249	780	2-leafs	59,0
GP 860	1300	730	250	1298	728	249	860	2-leafs	59,5
GP 940	1300	730	250	1298	728	249	940	2-leafs	60,0
GP 1020	1300	730	250	1298	728	249	1020	2-leafs	60,5
GP 1170	1300	730	250	1298	728	249	1170	2-leafs	61,5



## LOCKING OPTIONS

Model	Standardlocking	Optional locking systems	
	 Cylinder lock	 Electronic combination lock	 Prepared for profiled half cylinder
GP 100	■	■	■
GP 200	■	■	■
GP 300	■	■	■
GP 400	■	■	■
GP 500	■	■	■
GP 600	■	■	■
GP 780	■	■	■
GP 860	■	■	■
GP 940	■	■	■
GP 1020	■	■	■
GP 1170	■	■	■

\*other lock combinations possible

As of 01/2022 - decorative material not included in the scope of delivery- Technical changes reserved.



KEY SAFES

**Müller Safe GmbH**

In der Hirtenwiese 6

35745 Herborn, Germany

[www.mueller-safe.de](http://www.mueller-safe.de)

