



MÜLLER
SAFE



HIGH SECURITY SAFES

HIGH SECURITY SAFE EW V



Model EW V-124



SECURITY LEVEL

Class V according to EN 1143-1
certified by ECB-S and VdS



DESIGN

Body: Multi-walled
Door: Multi-walled
Hinges: External
Door opening angle: 145°
Handle/fitting: Protruding 65 mm
Mounting holes: 2 fixing holes in the floor
Prepared for alarm system



LOCKING

2 high security double-bit key locks
each 3 keys (190 mm)



PAINTING

Light gray, RAL 7035
(special painting according to RAL colors for an extra charge)




INSURABLE

Individual agreement



HIGH SECURITY SAFE EW V



Model	External dim. in mm			Internal dim. in mm			Door light		Number Shelves	Door 1 / 2-leaf	Number Files	Volume (Liter)	Weight (Kg)
	Height	Width	Depth	Height	Width*	Depth	Height	Width					
EW V-88	880	610	570	760	490	360	760	490	1	1-leaf	12	134	625
EW V-109	1090	610	570	970	490	360	970	490	1	1-leaf	15	171	745
EW V-124	1240	610	570	1120	490	360	1120	490	2	1-leaf	18	198	825
EW V-124/1	1240	780	730	1120	660	520	1120	660	2	1-leaf	24	384	1140
EW V-164	1640	780	730	1520	660	520	1520	660	3	1-leaf	32	521	1420
EW V-184	1840	780	730	1720	660	520	1720	660	4	1-leaf	38	590	1570

Fittings protrude 65 mm * Inside width: -15 mm can be used because of the shelf strip



LOCKING OPTIONS

Model	Standardverschluss	Optionale Verschlussvarianten	
	Double-bit key lock* (2 pieces)	Double lock* (Double-bit key lock, Mechanical combination lock)	Double lock* (2 electronic combination locks)**
EW V-88	■	■	■
EW V-109	■	■	■
EW V-124	■	■	■
EW V-124/1	■	■	■
EW V-164	■	■	■
EW V-184	■	■	■

* other lock combinations possible ** with emergency key



ACCESSORIES FOR EXTRA CHARGE

Model	Inner safe Height = 200 mm	Inner safe Height = 300 mm	Left door hinge	Additional shelf	Alarm accessories for alarm system	Additional fixing hole for designated position Ø 13 mm	Special fixing kit for concrete floor
EW V-88	<input type="checkbox"/>	<input type="checkbox"/>	■	■	■	■	■
EW V-109	■	<input type="checkbox"/>	■	■	■	■	■
EW V-124	■	<input type="checkbox"/>	■	■	■	■	■
EW V-124/1	■	<input type="checkbox"/>	■	■	■	■	■
EW V-164	<input type="checkbox"/>	■	■	■	■	■	■
EW V-184	<input type="checkbox"/>	■	■	■	■	■	■

As of 01/2022 - decorative material not included in the scope of delivery- Technical changes reserved.



HIGH SECURITY SAFES

Müller Safe GmbH

In der Hirtenwiese 6

35745 Herborn, Germany

www.mueller-safe.de

