



MÜLLER  
SAFE



GUN SAFES

## GUN SAFE WSL0



Model WSL0-4/7



### SECURITY LEVEL

Class 0 according to EN 1143-1  
certified by ECB•S



### DESIGN

**Body:** Double-walled  
**Door:** Multi-walled  
**Hinges:** External  
**Door opening angle:** 180°  
**Handle:** Protruding 30 mm  
**Mounting holes:** 1 fixing hole in the floor,  
1 in the backwall (not drilled through)



### LOCKING

High security double-bit key lock  
2 keys (95 mm)



### PAINTING

Light gray, RAL 7035 or Graphite gray, RAL 7024  
(special paint according to RAL colors for an extra charge)



# GUN SAFE WSL0



Model	External dim. in mm			Internal dim. in mm			Door light		Number Shelves	Number Gunholder	Weight (Kg)
	Height	Width	Depth	Height	Width	Depth	Height	Width			
WSL0-1/5	1250	350	350	1200	300	240	1138	254	0	5	105
WSL0-2/7	1250	450	350	1200	400	240	1138	354	0	7	122
WSL0-3/5	1500	350	350	1450	300	240	1388	254	1	5	126
WSL0-4/7	1500	450	350	1450	400	240	1388	354	1	7	145
WSL0-5/9	1500	450	450	1450	400	340	1388	354	1	9	165

Fittings protrude 30 mm



## LOCKING OPTIONS

Model	Standardlocking	Optional locking system	
	Double-bit key lock	Electronic combination lock	Electronic combination lock*
WSL0-1/5	■	■	■
WSL0-2/7	■	■	■
WSL0-3/5	■	■	■
WSL0-4/7	■	■	■
WSL0-5/9	■	■	■

\* with emergency key

As of 12/2020 - decorative material not included in the scope of delivery- Technical changes reserved.



GUN SAFES

**Müller Safe GmbH**

In der Hirtenwiese 6

35745 Herborn, Germany

[www.mueller-safe.de](http://www.mueller-safe.de)

