



MÜLLER
SAFE



KEY SAFES

KEY CABINETS G / GG



SECURITY LEVEL

Key cabinet with robust metal housing



DESIGN

Body: Single-walled

Door: Double-walled

Hinges: External

Door opening angle: 180°

Mounting holes: 4 fixing holes in the backwall

The G and GG models are double-leafed, with two partition walls that can be swiveled in opposite directions. The partition walls are equipped with key strips on both sides. Expandable by re-ordering additional key bars for screwing in. Available as a wall cabinet or free-standing model with a square tubular frame (the free-standing version requires additional wall mounting).



LOCKING

Cylindrical lock with basquill lock
2 keys



PAINTING

Light gray, RAL 7035
(special painting according to RAL colors for an extra charge)



KEY CABINET G / GG



G 260



G 300



G 360



G 420



G 500



G 600



G 700



GG 780



GG 860



GG 940



GG 1010



GG 1090

Model	External dim. in mm			Hook bars (à 13 H.)		Space between 2 bars		Number Hooks	Door 1 / 2-leaf	Weight (Kg)
	Height	Width	Depth	Backwall	Partition wall	Backwall	partition wall			
G 260	800	900	220	10 bars	10 bars	125x30	125x30	260	2-leafs	48,0
G 300	800	900	220	8 bars	16 bars	160x30	160x30	312	2-leafs	48,8
G 360	800	900	220	12 bars	16 bars	95x30	160x30	364	2-leafs	49,6
G 420	800	900	220	12 bars	20 bars	95x30	125x30	416	2-leafs	50,4
G 500	800	900	220	14 bars	24 bars	80x30	95x30	494	2-leafs	51,6
G 600	800	900	220	16 bars	30 bars	70x30	70x30	598	2-leafs	53,2
G 700	800	900	220	18 bars	36 bars	70x30	70x30	702	2-leafs	54,8
GG 780	1300	900	220	20 bars	40 bars	95x30	95x30	780	2-leafs	60,0
GG 860	1300	900	220	22 bars	44 bars	85x30	85x30	858	2-leafs	61,2
GG 940	1300	900	220	24 bars	48 bars	75x30	75x30	936	2-leafs	62,4
GG 1010	1300	900	220	26 bars	52 bars	70x30	65x30	1014	2-leafs	63,6
GG 1090	1300	900	220	28 bars	56 bars	65x30	60x30	1092	2-leafs	64,8



LOCKING OPTIONS

Model	Standardlocking		Optional locking system	
	 Cylinder lock	 Electronic combination lock	 Double lock* (2 cylinder locks)	 Prepared for profiled half cylinde
G 260	■	■	■	■
G 300	■	■	■	■
G 360	■	■	■	■
G 420	■	■	■	■
G 500	■	■	■	■
G 600	■	■	■	■
G 700	■	■	■	■
GG 780	■	■	■	■
GG 860	■	■	■	■
GG 940	■	■	■	■
GG 1010	■	■	■	■
GG 1090	■	■	■	■

*other lock combinations possible

As of 12/2020 - decorative material not included in the scope of delivery- Technical changes reserved.



KEY SAFES

Müller Safe GmbH

In der Hirtenwiese 6

35745 Herborn, Germany

www.mueller-safe.de

