



MÜLLER
SAFE



OFFICE SAFES

OFFICE SAFE BS



Model BS 1000



SECURITY LEVEL

Steel housing
Robust against access



DESIGN

Body: Double-walled
Door: Multi-walled
Hinges: External
Door opening angle: 180°
Handle/fitting: Protruding 65 mm



LOCKING

High security double-bit key lock
2 keys (95 mm)



PAINTING

Light gray, RAL 7035
(special painting according to RAL colors for an extra charge)




INSURABLE

Individual agreement



OFFICE SAFE BS



Model	External dim. in mm			Internal dim. in mm			Door light		Number Shelves	Door 1 / 2-leaf	Number Files	Volume (Liter)	Weight (Kg)
	Height	Width	Depth	Height	Width	Depth	Height	Width					
BS 810	740	540	550	620	490	450	580	410	1	1-flügelig	6	136	58
BS 910	1200	670	550	1070	620	450	1040	540	2	1-flügelig	21	292	95
BS 1000	1570	670	550	1420	620	450	1170	820	3	1-flügelig	28	396	125
BS 1040	1950	670	550	1820	620	450	1370	540	4	1-flügelig	35	502	142
BS 1100	1950	950	550	1820	900	450	1790	540	4	2-flügelig	55	729	174
BS 1200	1350	950	550	1200	900	450	1790	820	2	2-flügelig	33	486	135
BS 1400	1950	1260	550	1820	1210	450	1790	1130	4	2-flügelig	75	980	215

Fittings protrude 65 mm



LOCKING OPTIONS

	Standardlocking	Optional locking systems		
Model	 Double-bit key lock	 Mechanical combination lock	 Electronic combination lock*	 Double lock** (2 Double-bit key locks)
BS 810	■	■	■	■
BS 910	■	■	■	■
BS 1000	■	■	■	■
BS 1040	■	■	■	■
BS 1100	■	■	■	■
BS 1200	■	■	■	■
BS 1400	■	■	■	■

* with emergency key ** other lock combinations possible



ACCESSORIES FOR EXTRA CHARGE

Model	 Inner safe Height = 350 mm	 Inner safe Height = 420 mm (2-leafs)	 Left door hinge	 Additional shelf	 Telescope rails	 Pull-out stop	 Additional fixing hole for designated position Ø 13 mm	 Special fixing kit for concrete floor
BS 810	□	□	■	■	□	□	■	■
BS 910	■	□	■	■	■	■	■	■
BS 1000	■	□	■	■	■	■	■	■
BS 1040	■	□	■	■	■	■	■	■
BS 1100	□	■	□	■	■	■	■	■
BS 1200	□	■	□	■	■	■	■	■
BS 1400	□	■	□	■	■	■	■	■

* 1 shelf less

As of 01/2022 - decorative material not included in the scope of delivery- Technical changes reserved.



OFFICE SAFES

Müller Safe GmbH

In der Hirtenwiese 6

35745 Herborn, Germany

www.mueller-safe.de

