



MÜLLER
SAFE



HIGH SECURITY SAFES

HIGH SECURITY SAFE **EW IV**



Model EW IV-120



SECURITY LEVEL

Class IV according to EN 1143-1
certified by ECB-S and VdS



DESIGN

Body: Double-walled with special reinforcement
Door: Multi-walled
Hinges: External
Door opening angle: 145°
Handle/fitting: Protruding 65 mm
Mounting holes: 2 fixing holes in the floor
Prepared for alarm system



LOCKING

2 high security double-bit key locks
each 3 keys (190 mm)



PAINTING

Light gray, RAL 7035
(special painting according to RAL colors for an extra charge)




INSURABLE

Individual agreement



HIGH SECURITY SAFE EW IV






Model	External dim. in mm			Internal dim. in mm			Door light		Number Shelves	Door 1 / 2-leaf	Number Files	Volume (Liter)	Weight (Kg)
	Height	Width	Depth	Height	Width*	Depth	Height	Width					
EW IV-62	620	570	520	540	490	360	540	490	1	1-leaf	6	95	310
EW IV-84	840	570	520	760	490	360	760	490	1	1-leaf	12	134	395
EW IV-105	1050	570	520	970	490	360	970	490	2	1-leaf	12	171	480
EW IV-120	1200	570	520	1120	490	360	1120	490	2	1-leaf	18	198	535
EW IV-156	1560	810	540	1480	730	380	1480	730	3	1-leaf	36	411	830
EW IV-187	1870	810	540	1790	730	380	1790	730	4	1-leaf	36	497	960

Fittings protrude 65 mm * Inside width: -15 mm can be used because of the shelf strip



LOCKING OPTIONS

Model	Standardlocking	Optional locking systems	
	 Double-bit key lock* (2 pieces)	 Double lock* (Double-bit key lock, Mechanical combination lock)	 Double lock* (2 electronic combination locks)**
EW IV-62	■	■	■
EW IV-84	■	■	■
EW IV-105	■	■	■
EW IV-120	■	■	■
EW IV-156	■	■	■
EW IV-187	■	■	■

* other lock combinations possible ** with emergency key



ACCESSORIES FOR EXTRA CHARGE

Model	Inner safe Height = 200 mm	Inner safe Height = 300 mm	Left door hinge	Additional shelf	Alarm accessories for alarm system	Additional fixing hole for designated position Ø 13 mm	Special fixing kit for concrete floor
EW IV-62	<input type="checkbox"/>	<input type="checkbox"/>	■	■	■	■	■
EW IV-84	<input type="checkbox"/>	<input type="checkbox"/>	■	■	■	■	■
EW IV-105	■	<input type="checkbox"/>	■	■	■	■	■
EW IV-120	■	<input type="checkbox"/>	■	■	■	■	■
EW IV-156	<input type="checkbox"/>	■	■	■	■	■	■
EW IV-187	<input type="checkbox"/>	■	■	■	■	■	■

As of 01/2022 - decorative material not included in the scope of delivery- Technical changes reserved.



HIGH SECURITY SAFES

Müller Safe GmbH

In der Hirtenwiese 6

35745 Herborn, Germany

www.mueller-safe.de

